


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,57



HARDY PERENNIALS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

SPRING 1924

CECIL DAVIES. WM. P. SANDBERGEN. JOHN E. OUDSHOORN.

INTRODUCTION.

Few developments have been more important in recent years, to the horticultural trade, than that of Hardy Herbaceous Plants. . Their adaptability to various forms of garden decoration, their great variety in color, height, time of flowering and value for cutting present a new conception of the beautiful and practical; and they have attained recognition as an indispensable element in every well ordered garden.

Having confidence in their great and ever widening popularity, we are devoting ourselves exclusively to their propagation and culture. Our business is entirely wholesale and we solicit inquiries from all branches of the trade. By careful attention to every detail we give you absolute assurance of satisfaction, no matter how exacting your requirements may be.

The descriptions in this catalogue are taken from plants when in flower and great pains have been taken to make them accurate and dependable..

TERMS

Accounts are due in thirty days; cash or satisfactory references are required from unknown correspondents.

Prices in this catalogue include packing.

HARDY PERENNIALS

	Per Doz	Per 100
ACANTHUS mollis. A plant of imposing appearance, having large, handsome, dark green leaves and bearing purple and white flowers on stout stems 2 ft. July-August.	\$2.00	
ACHILLEA		
<i>filipendulina.</i> A strong growing plant with fern-like foliage, bearing large flat heads of yellow flowers. 4 ft. July-August.	2.00	12.00
<i>Ptarmica Boule de Nieve.</i> This and the following variety are among the most useful of hardy plants for cutting. If they are cut hard back after the first flowers are past, a second crop will be produced in early fall. Sprays of small double white flowers. 12 to 18 inches. June-September	1.50	10.00
" <i>The Pearl.</i> White. 2 ft. June-September.	1.50	10.00
<i>tomentosa.</i> A dwarf rock plant with heads of yellow flowers. 6 inches. June.	1.50	10.00
AETHIONEMA		
<i>grandiflorum.</i> A dainty and beautiful rock plant. It forms a compact bush and is covered in July with pink flowers borne in racemes. Requires a well drained position in full sun. 1 ft.	2.50	
<i>pulchellum.</i> A many branched plant of trailing habit; each branch terminating in a dense cluster of rosy pink flowers. May-June.	2.50	
AGROSTEMMA		
<i>coronaria.</i> Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July.	1.25	8.00
" <i>alba.</i> A white variety of the preceding.	1.25	8.00
AJUGA genevensis. Short spikes of intense blue flowers. A good rock plant. 6 inches. June.	1.50	10.00
ALYSSUM		
<i>argenteum.</i> Large flat heads of golden yellow flowers borne on short wiry stems. 9 in. April-May	1.50	10.00
<i>saxatile citrinum.</i> A rare sulphur colored variety of the well known Gold Dust.	2.50	15.00
<i>saxatile compactum.</i> (Gold Dust) Masses of yellow flowers in April and May. 1 foot.	1.25	8.00
ANDROSACE Chumbyi. Compact rosettes of woolly leaves and umbels of dainty pink flowers. A choice plant for the rock garden. 6 inches. May.	2.50	
ANEMONE		
<i>Pulsatilla.</i> Large cup shaped flowers covered on the outside with silky hairs, borne singly on stems 1 foot high Violet-Purple. April-May.	2.00	12.00
" <i>rubra.</i> A new and rare form of the preceding.	2.50	15.00

	Per Doz.	Per 100
ANTHEMIS tinctoria Kelwavi. Bright yellow Marguerite-like flowers in great profusion. Good for cutting. 2 ft. June September.	1.25	8.00
AQUILEGIA		
chrysantha. A tall and beautiful species, bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June.	1.50	10.00
haylodgensis. A first class strain of long spurred hybrids. 2-3 ft. May-June.	1.50	10.00
Mrs. Scott Elliott's Strain. An excellent strain bearing flowers of many rich and varied colors. 2-3 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers; robust habit. 2½ ft. May-June.	1.25	8.00
ARABIS		
alpina. A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. White. 9 inches. April-May.	1.50	10.00
fl. pl. A doubled flowered variety of the preceding, and much superior plant. As it does not produce seed it has a much longer flowering period. It will stand gentle forcing and is valuable as a cut flower.	2.00	12.00
ARENARIA		
montana. A trailing rock plant which becomes entirely covered in May with large, glistening white flowers.	2.00	12.00
laricifolia. White flowers are freely borne on wiry stems. 6 inches. May-June.	2.00	12.00
ARMERIA		
maritima Lauchearia. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. A second crop of flowers sometimes borne in early fall.	1.25	8.00
ARTEMISIA lactiflora. Fragrant Spiraea-like plumes of creamy white flowers are borne on stout erect stems from August to October. 5-6 ft.	1.50	10.00
ASCLEPIAS tuberosa. (Butterfly Silk Weed) Bright orange red flowers borne in clusters on strong stems. 2½ ft. July-September.	1.50	10.00
ASTER... (Michaelmas Daisy. Starwort) As a plant of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.		
Blue Gem. Bright blue flowers with three or four rows of petals. 2 ft. August September.	1.50	10.00
Climax. A universal favorite. If given good treatment the flowers attain to three inches in diameter, they are pale mauve with yellow centers, and are borne on long slender stems. 5 to 6 ft. September-October.	1.50	10.00

	Per Doz.	Per 100
Feltham Blue. Large clear blue flowers. 4ft. September.	1.50	10.00
John Wood. One of the oldest and still one of the best. The flowers open very pale mauve and turn pure white with age. 3½ ft. September.	1.50	10.00
Maggie Perry. Soft pink flowers borne in immense trusses. 4 to 5 ft. September-October.	2.00	12.00
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. Excellent for cutting. 4 to 5 ft. September-October.	2.00	12.00
St. Egwyn. This variety forms a compact, symmetrical bush, and during September is entirely covered with large clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.50	10.00
Wells' White. Stout erect stems bearing a profusion of medium size flowers, creamy white in color. 4 ft. August-September.	1.50	10.00
White Climax. A pure white variety of Climax.	2.00	12.00
N. A. Lil Fardel. Large clear pink flowers. 3 ft. September-October.	1.50	10.00
ASTER, DWARF ALPINE		
alpinus. Large bluish purple flowers. 9 inches. May-June.	1.50	10.00
" albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender erect stems. 1 ft. June-July.	1.50	10.00
AUBRIETIA deltoidea. Raised from seed of named varieties of this species; various shades of pink and lavender. 6 inches. April-May.	2.00	12.00
BAPTISIA australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue, lupine like flowers. The longer this plant remains undisturbed the more effective it becomes 2½ ft. June-July.	1.50	10.00
BOCCONIA cordata. A tall growing stately plant with handsome gray, glaucous foliage bearing panicles of creamy white flowers. 7 to 8 ft. July-August.	1.50	10.00
BOLTONIA		
asteroides. A strong growing aster-like plant more adapted for woodland planting than for the border. White. 5 to 6 ft. August-September	1.50	10.00
latisquama. Not so vigorous as the last. Pink flowers 5 to 6 ft. September.	1.50	10.00
" nana. A somewhat uncommon plant whose beauty and usefulness are not sufficiently known. It forms a compact bush 3 feet in height, and in September is smothered with dainty pink flowers. An excellent border plant and invaluable for cutting.	2.00	12.00
CAMPANULA		
bononiensis. Small blue flowers profusely borne on numerous slender, graceful stems. 2½ ft. June.	2.00	12.00
carpatia. Suitable for rock garden or border. Large blue, cup shaped flowers during July and August. 1 ft.	1.50	10.00
" alba. A white variety of the preceding.	1.50	10.00

	Per Doz.	Per 100
glomerata. Clusters of tubular violet-purple flowers borne on stout erect stems. 1½ ft. June-July.	2.00	12.00
grandis. Compact tufts of rich green foliage and stems 2 to 3 ft. high, covered with flat pale blue flowers. June-July.	2.00	12.00
" alba. A white variety of the above.	2.00	12.00
Medium. (Canterbury Bell) Blue, pink, white, separate.	1.00	7.00
" calycanthema. (Cup and Saucer) Mixed colors.	1.00	7.00
persicifolia. Slender erect stems studded with blue cup-shaped flowers in June and July. 2½ ft.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
rotundifolia. (Blue Bell) Blue cup shaped flowers on wiry stems. 1 ft. June-July.	1.50	10.00
CARYOPTERIS mastacanthus. (Blue Spiraea) A compact free flowering plant of sub-shrubby growth; trusses of lavender flowers during August and September. 2 to 3 ft.	2.00	12.00
CATANANCHE		
coerulea. A free flowering old fashioned plant; blue flowers which last well when cut. 1½ ft. June-August.	1.25	8.00
CENTAUREA		
dealbata. Handsome deeply cut foliage, white on the under side; rose pink flowers. 2 ft. July September.	1.50	10.00
macrocephala. A stately plant of robust habit, bearing large globular heads of golden yellow flowers. 4 to 5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.	1.50	10.00
" alba. A white variety of the preceding.	1.50	10.00
CEPHALARIA alpina. A tall graceful Scabiosa-like plant bearing large golden yellow flowers on long stems. 4 to 5 ft.	2.00	
CERASTIUM		
Biebersteinii. Forms a carpet of silvery foliage covered in May and June with pure white flowers.	1.50	10.00
tomentosum. Whiter foliage than that of the above and not such a strong grower. This plant and the preceding are invaluable for the rock garden.	1.50	10.00
CHELONE Lyoni. A very free flowering plant bearing large deep pink Pentstemon-like flowers on sturdy erect stems. 2 ft. July-September.	1.50	10.00
CHRYSANTHEMUM		
maximum. (Shasta Daisy) A useful plant for cutting, the large white daisy-like flowers are produced over a long period. 2 ft. June-Sept.	1.25	8.00
uliginosum. White flowers with green centers, on long straight stems. Good for cutting. 4 to 5 ft. August-September.	1.50	10.00
COREOPSIS grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout the summer. 2½ ft.	1.00	7.00

	Per Doz.	Per 100
CRUCIANELLA stylosa. A useful trailing plant for the rock garden bearing clusters of pink flowers. June-July.	1.50	10.00
DELPHINIUM		
.. Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½ to 3 ft.	1.25	8.00
formosum. A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June-September.	1.50	10.00
grandiflorum. (chinense) Gentian-blue flowers and finely divided foliage. 1½ to 2 ft. June-October.	1.25	8.00
album. A white variety of the above.	1.25	8.00
Mixed Hybrids. This mixture can be relied on to produce a large percentage of extremely good individuals, and is much superior to the ordinary mixed strain of Delphiniums.	2.00	12.00
DIANTHUS		
deltoides. (Maiden Pink) A trailing rock plant, also useful for border edging. June-July.	1.50	10.00
“ albus. A white variety of the foregoing.	1.50	10.00
” Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage.	2.00	12.00
latifolius atrococcineus fl. pl. Intense double crimson flowers freely borne throughout summer. 1 ft.	1.25	8.00
plumarius. A first rate mixture, beautifully frilled flowers. June-July.	1.25	8.00
DIELYTRA formosa. Dainty fern-like foliage and pink lyre-shaped flowers. 1 ft. May-August.	1.50	10.00
DIGITALIS gloxinaeflora. (Foxglove) Pink, purple, and white. Separate.	1.00	7.00
DRACOCEPHALUM Ruyschianum. Dense spikes of purplish-blue, tubular flowers. 1½ ft. June-Jul.	2.00	12.00
ECHINACEA purpurea. (Purple Coneflower) Large pinkish-purple flowers. 4 to 5 ft. Jul.-Aug.	1.50	10.00
ECHINOPS		
Ritro. A strong plant with handsome foliage bearing globular heads of glistening blue flowers. 4 ft. July-August.	1.50	10.00
ruthenicus. Heads of blue flowers on branching stems. 4 ft. July-August	1.50	10.00
sphaerocephalus. Heads of whitish gray flowers. 4 ft. 6 ft. August.	1.50	10.00
ERIGERON		
glaucus. Violet-blue flowers. 1 ft. May-June	1.25	8.00
speciosus. A free flowering and vigorous growing plant bearing medium size, purplish lilac flowers. First rate for cutting. 2½ ft. July-August.	1.50	10.00
EULALIA gracillima. An ornamental grass having long, narrow, recurved leaves with a white stripe down the center of each. 5 to 6 ft. Clumps.	2.00	12.00
EUPATORIUM		
coelestinum. Very free flowering and valuable for cutting. Masses of ageratum-like flowers from August to October. 1½ to 2 ft.	1.50	10.00

		Per Doz.	Per 100
Fraseri.	Feathery white flowers. July-September, 2 ft.	1.50	10.00
EUPHORBIA			
corollata.	The value of this plant for cutting is not fully appreciated. It is well adapted for shipping, and its small pure white flowers take the place of <i>Gypsophila paniculata</i> when that is past. Best results are obtained by allowing it to remain undisturbed several years. 1½ to 2 ft. August-September.	1.50	10.00
polychroma.	A conspicuous object in early spring. It has a bushy, much branched habit, each branch bearing a head of bright yellow bracts. 2 ft. April.	1.50	10.00
FUNKIA undulata variegata.	Creamy white and green variegated leaves. 9 inches.	1.50	10.00
GAILLARDIA grandiflora.	Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivalled. 2 ft. June-October.	1.00	7.00
GALEGA officinalis.	Clusters of fragrant, bluish lilac flowers. An excellent plant for the retail florist, but the flowers will not stand shipping. 2½ ft. June-July.	1.50	10.00
GERANIUM			
sanguineum.	Forms a thick mass of prostrate, wiry stems, and bears a profusion of saucer shaped, blood-red flowers. 1 ft. June-July.	2.00	12.00
"	album. A white variety of the preceding.	2.00	
"	lancastriense. A rare dwarf variety of the above. It forms a compact mat and bears large, delicate pink flowers, veined with red. 4 inches. June-July.	3.00	
GEUM			
Lady Stratheden.	A new variety similar in habit and growth to the well known <i>Geum Mrs. Bradshaw</i> , bearing large, old gold, double flowers. 2 ft. May-June.	2.50	
Mrs. Bradshaw.	One of the most striking of hardy plants. Slender, branching stems are produced from tufts of handsome green foliage, and bear large rich scarlet double flowers in great profusion. A first rate plant for cutting. 2 ft. May-June.	1.50	10.00
GYPSOPHILA paniculata.	Cloud-like masses of small white flowers. One of the most popular plants for cutting. 2 ft. July.	1.25	8.00
HELENIUM			
autumnale Riverton Beauty.	Clear yellow flowers with black centers. 4 ft. August-September.	2.00	12.00
"	superbum. Yellow. 4 ft. August-September.	2.00	12.00
Biglowi.	Deep yellow flowers with black disk. 2 ft. July-August.	1.50	10.00
Hoopesii.	Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00
HELIANTHEMUM	(Rock Rose) Dwarf evergreen shrubs forming compact bushes. The flowers are single and double and very varied in color and resemble miniature roses.		

	Per Doz.	Per 100
Fireball. Brilliant scarlet, single. 9 inches. June.	2.00	12.00
Macranthum. Large single yellow. 6 inches. June.	2.00	12.00
Mrs. Earle. Double scarlet. 9 inches. June.	2.00	12.00
Praecox. Soft yellow, single flowers. Silvery foliage. 1 ft. June.	2.00	12.00
Rhodanthe Carneum. Very large, soft pink single flowers, silvery foliage, 1 ft. June.	2.00	12.00
HELIANTHUS orgyalis. Tall graceful stems bearing yellow flowers on long stalks nearly their entire length. 6 to 8 ft. September.	2.00	
HELIOPSIS Pitcheriana. Golden yellow flowers throughout the summer. 3 ft.	1.50	10.00
HELONIAS bullata. Rosettes of bright green foliage which turn crimson in fall, and spikes of pink flowers with conspicuous blue anthers. Requires a damp situation. 1 ft. June.	2.00	12.00
HEUCHERA		
sanguinea. Innumerable slender stems bearing a profusion of dazzling crimson, tubular flowers. Valuable for cutting. 2 ft. June-July.	2.00	12.00
Choice Hybrids. A mixed strain varying from white to crimson, furnishing numerous striking hues of color. 2 ft. June-July.	2.00	12.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white, crimson eye, mixed	1.50	10.00
HIERACIUM aurantiacum. A dwarf rock or border plant bearing large heads of rich orange colored flowers. Good for cutting. 1½ ft. May-June	1.50	10.00
HOLLYHOCK Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain, and may be confidently relied upon to come true to color.		
Double Varieties. Apple Blossom, Crimson, Newport Pink, Salmon Pink, Yellow, White	1.25	8.00
Single Mixed.	1.25	8.00
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flowering plant of dwarf compact habit, bearing masses of snow white flowers produced in large trusses. 9 inches. April-May.	1.50	10.00
" Little Gem. A miniature variety of the above.	2.00	12.00
INULA ensifolia. Forms a compact, symmetrical bush and in July is covered with bright yellow flowers. 1 ft.	1.50	10.00
IRIS		
pumila cyanea. Violet-purple. 9 inches. May.	1.25	8.00
" The Bribe. Pure white. 9 inches. May.	1.25	8.00
LATHYRUS (Perennial Sweet Pea)		
Latifolius alibis. A vigorous climber. White flowers	1.50	10.00
" roseus. Pink.	1.50	10.00
LAVANDULA		
vera. (Sweet Lavender) A popular and old-fashioned plant with fragrant flowers and foliage. 1½ to 2 ft. July-August.	1.50	10.00
" Munstead Variety. A dwarf compact form of the above. Good for edging or rock garden. 9 inches. July.	2.50	15.00

	Per Doz.	Per 100
LEONTOPODIUM alpinum. (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense white woolly substance. 6 inches. May-June.	2.50	15.00
LIATRIS scariosa. Slender stems covered in August and September with deep purple flowers. 2½ ft.	1.50	10.00
LINUM		
perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.	1.25	8.00
" album. A white variety of the preceding.	1.25	8.00
LUPINUS (Lupine)		
polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. July-August.	1.50	10.00
" albus. A white variety of the above.	1.50	10.00
" roseus. A pink variety.	2.00	12.00
LYCHNIS		
alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches	1.50	10.00
chalconica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.	1.25	8.00
" alba A white variety of the preceding.	1.25	8.00
Viscaria splendens fl. pl. Intense crimson-scarlet, double flowers. Good for cutting; very effective in electric light. 1 ft. June.	2.00	12.00
LYSIMACHIA nummularia. A prostrate creeper studded in spring with yellow flowers. A good plant for quickly covering a damp, shady spot.	1.25	8.00
LYTHRUM virgatum Rose Queen. A symmetrical bush formed of numerous slender stems which are thickly covered three-quarters of their length with rosy pink flowers. 3 to 4 ft. July-September.	2.00	12.00
MALVA		
moschata. (Musk Mallow) Forms a branching bush about 2 ft. high and is covered throughout the summer with delicate pink flowers, 1½ inches in diameter. Slightly musk scented. Useful for cutting.	1.50	10.00
" alba. A pure white variety of the above.	1.50	10.00
NEPETA		
Mussini. (Catmint) Silvery foliage and lavender flowers. 1 ft. May-June.	1.50	10.00
NIEREMBERGIA rivularis. Large, pure white, cup-shaped flowers covering a carpet of rich green foliage. 3 inches. June-October.	1.50	10.00
PAPAEVER		
alpinum. A dainty little Alpine, native of the higher Alps. It forms tufts of finely divided grayish leaves, and throughout summer, produces numerous cup-shaped flowers of varying shades of yellow, orange, pink, and white. 6 inches.	2.50	15.00
nudicaule Sunbeam. A much improved strain of Iceland Poppies, containing many new shades of color.	1.50	10.00
orientale. Scarlet flowers. 2 to 3 ft. May-June.	1.50	10.00
" Mixed. A choice mixture raised from seed of best named varieties.	1.50	10.00

	Per Doz.	Per 100
PARDANTHUS sinensis. (Blackberry Lily) Bright orange, lily-like flowers, with brown-purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.25	8.00
PENTSTEMON		
barbatus Torreyi. Graceful, tapering stems, covered with large tubular, scarlet flowers. 4 ft. June-August.	1.50	10.00
Digitalis. White, tubular flowers with purple throat. Good for cutting. 2 to 3 ft. June-July.	1.50	10.00
glaber. Spikes of large flowers of varying shades of blue.	1.50	10.00
ovatus. Thick leathery leaves and short spikes of purple flowers. 1 ft. June-July.	1.50	10.00
pubescens. Handsome spikes of purple flowers. 2½ ft. July.	1.50	10.00
PHLOX		
Albion. White with faint red eye, the whole flower gives the impression of being pale pink. 2½ ft.	1.25	8.00
La Vogue. Rosy mauve. 2½ ft.	1.25	8.00
Mrs. Jenkins. Pure white, large trusses. 2½ ft.	1.25	8.00
Rosenberg. Carmine-violet, with reddish eye. 2 ft.	1.50	10.00
Sunshine. Deep Rose. 2 ft.	1.50	10.00
Thor. Very large trusses of dazzling pink flowers. 2½ ft.	2.00	
suffruticosa Miss Lingard. A good variety for cutting, pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September.	1.50	10.00
PHLOX, Dwarf Varieties.		
amoena. Compact tufts of glossy green foliage and masses of vivid pink flowers in April and May. 9 inches.	1.25	8.00
carolina. Numerous slender stems, each terminating in a cluster of deep rose flowers. 1 ft. May June.	1.25	8.00
subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 inches.	1.25	8.00
" rosea. A pink variety.	1.25	8.00
PHYSALIS		
Franchetti. (Winter Cherry) Bright orange bladder-like calyces enclosing a cherry-like fruit. Valuable for drying for winter decoration. 2ft. October.	1.25	8.00
PHYSOSTEGIA		
virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August.	1.00	7.00
" alba. A white variety of the foregoing.	1.00	7.00
" grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very few late flowering perennials. 1 to 1½ ft. August-September.	1.50	10.00

	Per Doz.	Per 100
PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June.		
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white, large flowers.	1.25	8.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyon. Deep Rose.	1.25	8.00
White Reserve. Pure white.	1.25	8.00
PLATYCODON (Balloon Flower)		
grandiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October.	1.25	8.00
album. A white variety of the above.	1.25	8.00
PLUMBAGO Larpentae. (Leadwort) Forms compact tufts of innumerable wiry stems each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.	2.00	12.00
POLEMONIUM		
reptans. An attractive early spring flowering plant bearing sprays of blue flowers on short stems. 9 inches. April-May.	1.50	10.00
Richardsoni. Blue flowers with yellow centers. 1 ft. June.	1.50	10.00
POTENTILLA Willmottae. A distinct and pretty rock plant with brilliant cherry red flowers. 6 inches. June-August.	2.00	12.00
PRIMULA japonica, mixed. Compact rosettes of leaves and spikes bearing whorls of flowers varying in color from white to crimson purple. A damp position is necessary for this plant. 1½ ft. May.	2.50	15.00
PYRETHRUM		
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.25	8.00
RANUNCULUS		
acris fl. pl. Small double yellow flowers on branching stems. Valuable for cutting. 1 to 1½ ft. April-May.	1.50	10.00
repens fl. pl. Similar to the preceding but having a more spreading habit. 1 ft. April-May.	1.50	10.00
RUDBECKIA		
Golden Glow. Double, deep yellow flowers. 6 ft. July-September.	1.25	8.00
Newmanni. (Black-eyed Susan) Yellow flowers with dark brown centers. 2 ft. July-August.	1.25	8.00
SALVIA		
argentea. The value of this plant lies in its large silvery leaves.	1.50	10.00
azurea grandiflora. Tall straight stems covered for half their length with sky-blue flowers. 4 to 5 ft. August-October.	1.25	8.00
pratensis. Handsome spikes of blue flowers are continuously produced throughout the summer. 2 ft.	1.50	10.00
Sclarea. Large handsome leaves and spikes of pink and white flowers. 3 ft. July-August.	1.50	10.00

	Per Doz.	Per 100
SANTOLINA incana. (Cotton Lavender) A compact growing half shrubby plant with silvery foliage. 1 ft.	1.50	10.00
SAPONARIA ocymoides. Quickly forms a spreading mass, smothered May and June with small bright pink flowers.	2.00	12.00
SAXIFRAGA cordifolia. A valuable, easily grown, spring flowering plant. Large, handsome leaves and strong spikes of pink flowers. 1½ ft. April-May.	2.00	12.00
SEDUM		
acre. A dwarf grower forming a thick carpet of green foliage which is completely covered with yellow flowers in May. 6 inches	1.50	10.00
album. Small succulent green leaves which become bronze in the fall. 6 inches.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. Masses of pink flowers. 4 inches.	1.50	10.00
maximum purpureum. Thick purple leaves and heads of pink flowers. 2 ft. September-October.	1.25	8.00
sexangulare. Dwarf trailer, green foliage and yellow flowers. June.	1.50	10.00
spectabile. Erect, sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color, they retain their beauty for two months. 1½ ft. August-September.	1.25	8.00
" atropurpureum. A deeper colored variety of the preceding, being a vivid amaranth red.	1.25	8.00
SENECIO Clivorum. Large handsome leaves and loosely arranged heads of yellow flowers. Should have a moist position. 3 ft. July-September.	1.50	10.00
SIDALCEA		
candida. Pure white mallow-like flowers on slender graceful stems. 2½ ft. July.	2.00	
SILENE alpestris. A dainty little rock plant of tufted habit, bearing masses of small white flowers. 4 inches. May-June.	2.00	12.00
Rose Queen. Spikes of rich rosy purple flowers. 2½ ft. July-August.	2.00	12.00
SPIRAEA		
Filipendula. Loose clusters of creamy white flowers tipped with red, borne on slender stems growing from tufts of fern-like foliage. 1½ ft. to 2 ft.	1.50	10.00
STOKESIA cyanea. A showy plant with a lengthy flowering period, large blue flowers on somewhat straggling stems. 1½ ft. August-October.	1.50	10.00
" alba. A white variety of the last.	1.50	10.00
STATICE latifolia. (Sea Lavender) Branching flower stems bearing countless small, blue purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½ to 2 ft. August-September.	1.50	10.00

	Per Doz. Per 100	
SWEET WILLIAM		
Newport Pink.	1.00	7.00
Scarlet Beauty.	1.00	7.00
White.	1.00	7.00
THALICTRUM		
<i>adiantifolium</i> . Masses of maiden-hair like foliage Valuable for cutting. 1½ ft.	1.50	10.00
<i>aquilegifolium</i> . Handsome foliage and feathery plumes of white flowers. 2½ ft. June-July.	2.00	12.00
<i>purpureum</i> . A lovely rose colored variety of the preceding.	2.00	12.00
THERMOPSIS		
<i>caroliniana</i> . Grows into a large bush bearing sprays of clear yellow lupine-like flowers in great profusion. 3 to 4 ft. July.	1.50	10.00
TIARELLA cordifolia . (Foam Flower) A quick growing plant of trailing habit. It bears little, creamy white flowers, the buds being delicately tinged with pink. A mass of flowers viewed from a short distance has the appearance of a wreath of foam. 1 ft. May-June.	1.50	10.00
THYMUS		
<i>Serpyllum albus</i> . A fragrant, creeping rock plant quickly growing into dense carpet, which becomes covered with white flowers in June and July.	1.50	10.00
" <i>coccineus</i> . A scarlet flowered variety.	1.50	10.00
TRITOMA Pfitzeri . (Torch Lily) A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange scarlet, tubular flowers. 2 to 3 ft. September-October.	2.00	12.00
TUNICA Saxifraga . Tufts of grass-like foliage and stems bearing small rosy pink flowers. 6 inches. July-September.	1.50	10.00
VALERIANA officinalis . A strong growing and free flowering plant bearing large heads of faint pink flowers. 3 to 4 ft. June-July	1.50	10.00
VERBASCUM Harkness' Hybrid . Spikes of yellow flowers. 3 ft.	1.50	10.00
VERONICA		
<i>incana</i> . Compact masses of silvery gray foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
<i>rupestris</i> . A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers. 6 inches.	1.50	10.00
<i>spicata</i> . Spikes of blue flowers. 2 ft. June-Aug.	1.50	10.00
<i>subsessillis</i> . Stout erect stems of intense blue flowers. 2 to 3 ft. July-August.	2.00	12.00
<i>Teucrium</i> . The stems form spreading masses, covered in May and June with dense racemes of bright blue flowers. 1 ft.	1.50	10.00
VIOLA cornuta Geo. Wermig . Rich purple. A free and continuous bloomer. 6 inches. May-August.	2.00	12.00
<i>pedata</i> . Tufts of finely divided leaves and lilac blue flowers. 6 inches. April-May.	1.50	10.00

HAMMONTON PRINTING COMPANY

